INDEX TO AUTHORS

A

Adams, Mildred, and **Boothby, Walter M.** Changes in the oxygen content of venous blood as the result of fever therapy with and without the administration of oxygen, iii

Allers, W. D. See KENDALL, MASON, MYERS, and ALLERS, lvii

Almquist, H. J. Purification of the antihemorrhagic vitamin, 241

Anchel, Marjorie, and **Schoenheimer, Rudolf.** Reagents for the isolation of carbonyl compounds from unsaponifiable material, 539

Anderson, Carl E. See GREENBERG, ANDERSON, and TUFTS, xliii

Anderson, Ian A. See BUELL, ANDERSON, and STRAUSS, xvi

Anderson, R. J., Crowder, J. A., Newman, M. S., and **Stodola, F. H.** The composition of leprosin, iii

—. See CROWDER, STODOLA, and ANDERSON, 431

—. See STODOLA and ANDERSON, 467

Anderson, William E. See PAQUIN and ANDERSON, lxxix

Andrews, James C. The hydrolysis of hair, iii

Andrews, James C., and **Andrews, Kathleen Crandall.** A critical study of the Sullivan method for the determination of cystine, iv

Andrews, Kathleen Crandall. See ANDREWS and ANDREWS, iv

Ansbacher, S. See SUPPLEE, ANSBACHER, BENDER, and FLANIGAN, 95

Austin, J. Harold. See SUNDERMAN and AUSTIN, ciii

B

Baernstein, Harry D. A new method for the determination of methionine in proteins, v

Ball, Eric G. Echinochrome, its isolation and composition, vi

—. Oxidation-reduction potentials of the ascorbic acid system, vii

—. Studies on oxidation-reduction. XXII. Lapachol, lomatiol, and related compounds, 649

Bauguess, Lyle C., and **Berg, Clarence P.** Tryptophane metabolism. VIII. Growth and kynurenic acid production on carbonic acid derivatives of tryptophane, 253

Beard, Howard H., and **Boggess, Thomas S.** The effect of par-

enteral injection of amino acids and related substances upon creatine formation and storage in the rat, viii, 771

Behre, Jeanette Allen. See BENEDICT and BEHRE, 515

Bender, R. C. See SUPPLEE, ANSBACHER, BENDER, and FLANIGAN, 95

Benedict, Stanley R., and **Behre, Jeanette Allen.** Some applications of a new color reaction for creatinine, 515

Benes, Franklin A. See BING, BENES, and REMP, x

Berg, Clarence P. The resolution of *dl*-lysine, viii

—. See BAUGUESS and BERG, 253

Bergmann, Max, and **Ross, William F.** On proteolytic enzymes. X. The enzymes of papain and their activation, 717

— and **Zervas, Leonidas.** On proteolytic enzymes. IX. The inactivation of papain with iodine, 711

Bergmann, Werner. The fatty acids of chrysalis oil, 27

Bernheim, Frederick, Bernheim, Mary L. C., and **Gillaspie, Athey G.** The oxidation of the amino acids. The estimation of the keto acids and the production of hydrogen peroxide, 657

—. See WEBSTER and BERNHEIM, 265

Bernheim, Mary L. C. See BERNHEIM, BERNHEIM, and GILLASPIE, 657

Bernstein, Samuel S. See ERICKSON, JONES, BERNSTEIN, WILLIAMS, LEE, and MACY, xxxii

—. See ERICKSON, WILLIAMS, BERNSTEIN, and JONES, xxxii

Best, Charles H., and **Ridout, Jessie H.** The effect of cholesterol and choline on liver fat, ix

Bethell, Frank H. See KYER and BETHELL, lx

—. See ROTTSCHAEFER and BETHELL, lxxxv

Bierman, William. See FISHBERG, BIERMAN, and WEISS, xxxv

Bing, Franklin C., Benes, Franklin A., and **Remp, Donald G.** The alimentary fate of hemin in man, x

Bird, H. R., Elvehjem, C. A., and **Hart, E. B.** The distribution and properties of the chick gizzard factor, x

Bischoff, Fritz, and **Maxwell, L. C.** Influence of delayed resorption of the protein hormones, xi

Biskind, Gerson R. See GLICK and BISKIND, l

Bjerrum, Jannik. Copper catalysis of the oxidation of thiol acids as a basis for the microdetermination of copper, 357

Blalock, Alfred. See MASON, BLALOCK, and HARRISON, lxiv

Blatherwick, N. R., Bradshaw, Phoebe J., and **Sawyer, Susan D.** Muscle glycogen content of rats fasted twenty-four hours, xii

Block, Richard J., Brand, Erwin, Harris, Meyer M., and Hinsie, L. E. Some observations on follicle-stimulating hormone obtained from urine of women in and past the menopause, xii

Bloor, W. R. The cholesterol content of muscle, 639

Bock, A. V. See Dill, Daly, and Bock, xxv

Bodansky, Meyer, and Duff, Virginia B. Nitrogen and creatine metabolism in relation to environmental temperature and thyroid function, xiii

Bodansky, Oscar. The accelerant effect of α-amino acids on the activity of bone phosphatase, 273

Boggess, Thomas S. See Beard and Boggess, viii, 771

Bollman, Jesse L. See Flock, Bollman, and Mann, xxxvi

Booher, Lela E. The concentration and properties of vitamin H, xiv

Boothby, Walter M. See Adams and Boothby, iii

Bourgeois, Warren. See Beard and Boggess, 771

Bowman, Donald E., and Muntwyler, Edward. Further experiments upon the excretion of ascorbic acid in the urine following ether anesthesia, xiv

Boyd, Eldon M. The extraction of blood lipids, 223

Bradshaw, Phoebe J. See Blatherwick, Bradshaw, and Sawyer, xii

Bramkamp, Robert G. The protein content of human parotid saliva, 369

Brand, Erwin, and Cahill, George F. Canine cystinuria. III, xv

—. See Block, Brand, Harris, and Hinsie, xii

—. See Green, Morris, Cahill, and Brand, 91

Braun, Charles E., and Rees, Francis M. An examination of the Sullivan colorimetric test for guanidine, 415

Brook, Theodore. See Friedemann and Brook, xxxvii

Brookes, Margaret Hessler. See Cohn and Brookes, 139

Brown, Barker H. See Lewis, Brown, and White, 171

Brown, W. R., and Burr, George O. Some recent studies on fat deficiency, xvi

Bruger, Maurice. See Fitz and Bruger, xxxv

Buell, Mary V., Anderson, Ian A., and Strauss, Margaret B. On carbohydrate metabolism in adrenalectomized animals, xvi

Burr, George O. See Brown and Burr, xvi

C

Cahill, George F. See Brand and Cahill, xv

—. See Green, Morris, Cahill, and Brand, 91

Caldwell, M. L., and Doebbeling, S. E. A study of the influence of heavy water upon amylase formation during the sprouting of barley, xvii

Cary, C. A. See SHINN and CARY, xcii

Catherwood, Ruth, and **Stearns, Genevieve.** Creatine and creatinine metabolism in infancy and childhood, xviii

Cavett, J. W. Thyroglobulin studies. II. The Van Slyke nitrogen distribution and tyrosine and tryptophane analyses for normal and goitrous human thyroglobulin, 65

Cerecedo, Leopold R. See SILVER and CERECEDO, xciii

Chambers, Leslie A., and **Flosdorf, Earl W.** The denaturation of proteins by sound waves of audible frequencies, 75

Chanutin, Alfred, and **Ludewig, Stephan.** Influence of liver damage on the blood lipids, xviii

Church, Charles F. See WHIPPLE and CHURCH, cvii

Clark, Guy W., and **Coene, Alice M.** Evaluation of the antianemic potency of liver extract by the Jacobson method of bioassay, xix

Clowes, G. H. A., and **Krahl, M. E.** Studies on the mechanism of metabolic stimulation by dinitro-, dihalo-, and trihalophenols, xix

Coene, Alice M. See CLARK and COENE, xix

Coghill, Robert D. The spontaneous decomposition of cystine dimethyl ester, xx, 419

Cohn, Edwin J., and **McMeekin, Thomas L.** On the relation between the solubility in different solvents of amino acids, peptides, and certain related substances, xx

Cohn, Edwin J. and **McMeekin, Thomas L.** See FERRY, COHN, and NEWMAN, xxxiv

Cohn, Essie White, and **Brookes, Margaret Hessler.** The diastatic activity of rat saliva, 139

Compton, Jack. See LEVENE and COMPTON, 9

Consolazio, W. V. See KEYS, 449

Converse, H. T. See TURNER, MEIGS, and CONVERSE, civ

Corey, Robert B., and **Wyckoff, Ralph W. G.** Long spacings in macromolecular solids, 407

Cori, Carl F., and **Shine, William M.** The conversion of hexoses and trioses to glucose in the liver of the rat, xxi

Corley, Ralph C., and **Leighty, John A.** Catabolism of straight and branched chain amino and fatty acids in the normal and phlorhizinized dog, xxii

Cox, Warren M., Jr., and **Mueller, Arthur J.** An apparatus for milking small laboratory animals, and the composition of stock rat milk, xxii

Craig, F. N. A fat oxidation system in *Lupinus albus,* 727

Crowder, J. A., Stodola, F. H., and **Anderson, R. J.** The chemistry of the lipids of tubercle bacilli. XLV. Isolation of α- and β-leprosol, 431

—. See ANDERSON, CROWDER, NEWMAN, and STODOLA, iii

Crowell, Mary. See McCay, Tunison, Crowell, and Paul, 259

Csonka, Frank A. Amino acid content of staple foods, xxiii

Cullen, Glenn E. See Robinson, Price, and Cullen, 321

—. See Robinson, Price, Hogden, Nelson, and Cullen, lxxxiv

D

Daly, Cornelius A. See Dill, Daly, and Bock, xxv

Danielson, Wayne H., and **Stecher, Robert M.** The acid-base balance of the blood serum in hyperthermia, xxiii

Dann, W. J. The vitamin G complex in rat dermatitis and human pellagra, xxiv

Darnell, Matthew C., Jr. See Looney and Darnell, lxii

Day, Paul L., Langston, William C., and **Shukers, Carroll F.** Leucopenia and anemia in the monkey resulting from dietary deficiency, xxv

DeEds, Floyd, and **Eddy, C. W.** The microdetermination of silicon, 667

Dill, D. B., Daly, Cornelius A., and **Bock, A. V.** Sweat, xxv

—. See Hastings, Dill, and Edwards, xlvii

Dobriner, Konrad, Localio, Sylvio, and **Strain, William H.** A study of the porphyrins excreted in congenital porphyrinuria, xxvi

Doebbeling, S. E. See Caldwell and Doebbeling, xvii

Doisy, Edward A. See Katzman, Wade, and Doisy, lvi

Doubilet, Henry. Differential quantitative analysis of bile acids in bile and in duodenal drainage, 289

Drabkin, David L. An analysis of the absorption spectra of hemoglobin, xxvii

Drekter, I. J., Sobel, Albert E., and **Natelson, Samuel.** Comparative estimations of free cholesterol in blood by the pyridine cholesteryl sulfate and the cholesterol digitonide methods, xxviii

—. See Sobel, Drekter, and Natelson, xcvi

Duff, Virginia B. See Bodansky and Duff, xiii

Dunn, Max S. See Feraud, Dunn, and Kaplan, 665

E

Eagle, Harry, and **Vickers, Percy.** On the nature of the reaction between diazotized sulfanilic acid and proteins, 193

Eddy, C. W. See DeEds and Eddy, 667

Edsall, John T. Raman spectra of *l*-ascorbic acid and its sodium salt, xxviii

Edwards, Beatrice G. Phenolic substances of urine, xxix

Edwards, H. T. Blood lactic acid in rest and work at high altitudes, xxx

—. See Hastings, Dill, and Edwards, xlvii

Eisenman, Anna J. The measurement of blood cell volume, xxx

Elderfield, Robert C. See JACOBS and ELDERFIELD, 597
Eley, R. C. See GREEN, LOWRY, ELEY, and MCKHANN, xlii
Ellis, N. R. See RIEMENSCHNEIDER and ELLIS, 441
Elvehjem, C. A., Koehn, C. J., Jr., and Oleson, J. J. An essential dietary factor found in yeast and liver extract distinct from vitamins B_1, B_2, B_4, and flavins, xxxi
—. See BIRD, ELVEHJEM, and HART, x
—. See POTTER and ELVEHJEM, 495
Erickson, Betty Nims, Jones, Robert L., Bernstein, Samuel S., Williams, Harold H., Lee, Pearl, and Macy, Icie G. Biochemical studies of erythrocytes. I. Preparation of a posthemolytic residue, xxxii
—, **Williams, Harold H., Bernstein, Samuel S., and Jones, Robert L.** Biochemical studies of erythrocytes. II. Lipid partition of posthemolytic residue, xxxii
Evans, E. A., Jr. Isomers of cholesterol, xxxiii
—. See JENSEN, EVANS, PENNINGTON, and SCHOCK, 199
—. See SCHOENHEIMER and EVANS, 567
Everett, Mark R. See SHEPPARD and EVERETT, xci

F

Fashena, Gladys J., and Trevorrow, Virginia. A note on the determination of iodine in biological material, 351
Feraud, Katherine, Dunn, Max S., and Kaplan, Joseph. Note on the ultra-violet absorption spectrum of tyrosine, 665
Ferry, Ronald M., Cohn, Edwin J., and Newman, Ethel S. The solvent action of neutral salts upon carboxyhemoglobin in solutions of low dielectric constant, xxxiv
Fieser, L. F., and Newman, M. S. Ouabain, 705
Fishberg, Ella H., Bierman, William, and Weiss, Alter. Chemical adjustments to high temperature, xxxv
Fisher, A. M. See SCOTT and FISHER, lxxxviii
Fitz, Fred, and Bruger, Maurice. Variations in blood cholesterol following the intravenous administration of cholesterol, xxxv
Flanigan, G. E. See SUPPLEE, ANSBACHER, BENDER, and FLANIGAN, 95
Flock, Eunice, Bollman, Jesse L., and Mann, Frank C. The effect of diet upon the phosphate compounds in the liver of the dog, xxxvi
Flosdorf, Earl W. See CHAMBERS and FLOSDORF, 75
Flynn, Albert. See BEARD and BOGGESS, 771
Franke, Kurt W. See PAINTER and FRANKE, 235
French, R. B., and Mattill, H. A. The endogenous nitrogen excretion in relation to the determination of biological value of protein, xxxvii

Friedemann, Theodore E., and **Brook, Theodore.** The direct determination of ethyl alcohol in saliva without distillation, xxxvii

Friedgood, Harry B. See GREENSTEIN and FRIEDGOOD, xliv

G

Gaebler, Oliver Henry. Precipitation of apparent creatinine from ultrafiltrates of normal sera, xxxviii

— and **Price, W. H.** Effects of an anterior pituitary growth preparation on sulfur metabolism, xxxix

Gallagher, T. F., and **Koch, F. C.** The comb growth reaction to synthetic male hormone preparations, xxxix

Gersdorff, Charles E. F. See JONES and GERSDORFF, liii

Gillaspie, Athey G. See BERNHEIM, BERNHEIM, and GILLASPIE, 657

Glick, David, and **Biskind, Gerson R.** Studies in histochemistry. VII. The concentration of vitamin C in the thymus in relation to its histological changes at different stages of development and regression, 1

Goebel, Walther F., and **Goodner, Kenneth.** The immunological properties of artificial antigens containing glucose and glucuronic acid, xl

Goettsch, Marianne, and **Pappenheimer, Alwin M.** The prevention of nutritional encephalomalacia in chicks by vegetable oils and their fractions, 673

Goettsch, Marianne, and **Pappenheimer, Alwin M.** The protective action of non-saponifiable matter of soy bean oil in nutritional encephalomalacia of chicks, xl

Goodner, Kenneth. See GOEBEL and GOODNER, xl

Goss, M. J. See PHILLIPS and Goss, 557

Gould, R. G., Jr. The synthesis of a dihydrovitamin A, xli

Green, Arda Alden, Lowry, Hope, Eley, R. C., and **McKhann, Charles F.** The blood coagulant derived from the placenta, xlii

Green, David F., Morris, Mark L., Cahill, George F., and **Brand, Erwin.** Canine cystinuria. II. Analysis of cystine calculi and sulfur distribution in the urine, 91

Greenberg, David M., Anderson, Carl E., and **Tufts, Elma V.** Pathological changes in the tissues of rats reared on diets low in magnesium, xliii

— and **Tufts, Elma V.** Variations in the magnesium content of the normal white rat with growth and development, 135

Greenstein, Jesse P. The synthesis of isocitric acid from citric acid, xliii

— and **Friedgood, Harry B.** The effect of certain substituted dithio acids on the blood sugar of rabbits, xliv

Greenwald, Isidor, and **Rubin, Solomon H.** The state of calcium in serum and in plasma, xlv

Griffith, Wendell H. See Sheppeck and Griffith, xcii

Guerrant, Ralph E. See Hogan and Guerrant, li

Gunther, J. Kenneth. See Rose, Kemmerer, Womack, Mertz, Gunther, McCoy, and Meyer, lxxxv

Gustavson, Reuben G., Wood, Tom, and **Hays, Erwin.** A further quantitative study of the estrogenic substances in normal human female urine, xlvi

Gustus, Edwin L., Meyer, Roland K., and **Woods, Oliver R.** Preparation of the gonadotropic hormone of pregnant mare blood, 59

H

Halpern, Lena. The transfer of inorganic phosphorus across the red blood cell membrane, 747

Haman, Robert W., and **Steenbock, H.** The antirachitic effectiveness of vitamin D from various sources, 505

Hanke, Martin E. See Johnson and Hanke, 157

—. See Kendrick and Hanke, lviii

Hansen, Arild E., Wilson, William R., and **Williams, Harold H.** Serum lipid changes in relation to the intermediary metabolism of fat, 209

Harris, Meyer M. See Block, Brand, Harris, and Hinsie, xii

Harrison, Tinsley R. See Mason, Blalock, and Harrison, lxiv

Hart, Anna. See Goettsch and Pappenheimer, 673

Hart, E. B. See Bird, Elvehjem, and Hart, x

Hastings, A. Baird, Dill, D. B., and **Edwards, H. T.** The acid-base changes in the blood after anaerobic work, xlvii

—. See Weir and Hastings, 397

Haven, Frances L. The phospholipid metabolism of tumors, xlvii

Hays, Erwin. See Gustavson, Wood, and Hays, xlvi

Helmer, O. M. The determination of vitamins B_1 and B_2 in human urine, xlviii

Hempelman, Louis H. See Preisler and Hempelman, lxxxi

Hendrix, Byron M., and **Paquin, Felix, Jr.** The effect of denaturation of egg albumin upon its acetyl derivatives, xlix

Hess, W. C., and **Sullivan, M. X.** The cystine content of deaminized proteins, xlix

—. See Sullivan, Hess, and Irreverre, 633

Heyroth, Francis F. The action of alkali upon dibromoxyhydrouracil, p. l

Hill, Edgar S., and **Shaffer, Philip A.** Semiquinones of anthraquinone sulfonates, li

Hinsie, L. E. See BLOCK, BRAND, HARRIS, and HINSIE, xii

Hisey, Alan. See MORRISON and HISEY, lxxiii

Hitchcock, David I. Calculation of isoelectric zones and isoelectric points, 373

Hogan, Albert G., and **Guerrant, Ralph E.** Observations on the anemia caused by deaminized casein, li

Hogden, Corinne. See ROBINSON, PRICE, HOGDEN, NELSON, and CULLEN, lxxxiv

Hollander, Franklin. x-Ray absorption coefficients of dentin and enamel, lii

Horvitz, Leonard. See BEARD and BOGGESS, 771

Hunt, Madison. See DU VIGNEAUD and HUNT, cv

I

Irreverre, Filadelfo. See SULLIVAN, HESS, and IRREVERRE, 633

Irwin, Margaret House. See STEENBOCK, IRWIN, and WEBER, c

J

Jacobs, Walter A., and **Elderfield, Robert C.** The lactone group of the cardiac aglycones and Grignard reagent, 597

Jacobson, B. M. See SUBBAROW and JACOBSON, cii

Jeans, P. C. See STEARNS and JEANS, c

Jensen, H., Evans, E. A., Jr., Pennington, W. D., and **Schock, Ellen D.** The action of various reagents on insulin, 199

Johnson, Martha, and **Hanke, Martin E.** The iron content and oxygen capacity of blood, 157

Jones, D. Breese, and **Gersdorff, Charles E. F.** Studies on digestibility of proteins *in vitro*. VII. Rate of liberation of cystine on tryptic digestion of casein, with observations on the stability of cystine in digestion mixtures at different pH values, liii

Jones, James H. The comparative toxicity of irradiated ergosterol and parathyroid extract as determined on the dog and rat, liv

—. The relation of serum phosphate to parathyroid tetany, liv

Jones, Robert L. See ERICKSON, JONES, BERNSTEIN, WILLIAMS, LEE, and MACY, xxxii

—. See ERICKSON, WILLIAMS, BERNSTEIN, and JONES, xxxii

Joseph, Norman R. Interaction of gelatin and salts as measured by the electromotive force of cells without liquid junction, lv

Jukes, Thomas H., and **Lepkovsky, Samuel.** The distribution of the "filtrate factor" (a water-soluble vitamin belonging to the vitamin B complex and preventing a dietary dermatitis in chicks) in certain feedingstuffs, 117

—. See LEPKOVSKY and JUKES, 109, lxi

K

Kane, Edward A. See Wiseman and Kane, cviii

Kaplan, Joseph. See Feraud, Dunn, and Kaplan, 665

Katzman, Philip A., Wade, Nelson J., and **Doisy, Edward A.** Concerning the production of anterior pituitary inhibitory substances, lvi

Keith, Norman M. See Power and Keith, lxxx

Kelly, Eunice. See Lease, Kelly, and Parsons, lxi

Kemmerer, Kenneth S. See Rose, Kemmerer, Womack, Mertz, Gunther, McCoy, and Meyer, lxxxv

Kendall, Edward C., Mason, Harold L., Myers, Charles S., and **Allers, W. D.** A physiologic and chemical investigation of the suprarenal cortex, lvii

—. See Mason, Myers, and Kendall, 613

Kendrick, A. B., and **Hanke, Martin E.** A modification of Van Slyke's manometric amino nitrogen method yielding theoretical values with cystine and glycine, lviii

Keys, Ancel. The determination of total base in blood and other biological fluids by the electrodialysis method of Adair and Keys, 449

King, C. G. See Musulin, Woodward, Silverblatt, and King, lxxiv

Knott, Elizabeth, and **Schlutz, Frederic W.** The use of a ten day period for biological assay of vitamin B_1, lix

Koch, F. C. See Gallagher and Koch, xxxix

Koehler, Alfred E. The epinephrine content of suprarenal glands surgically removed in the treatment of essential hypertension, lix

—. See Vollmar and Koehler, cvi

Koehn, C. J., Jr. See Elvehjem, Koehn, and Oleson, xxxi

Kornblum, Morris. See Saifer and Kornblum, 551

Krahl, M. E. See Clowes and Krahl, xix

Kramer, Benjamin. See Sobel, Pearl, and Kramer, xcvii

Krauss, W. E., and **Washburn, R. G.** The iron and copper content of milk throughout the season, as related to anemia development in rats, 247

Kyer, Jean L., and **Bethell, Frank H.** The requirement of iron and copper and the influence of diet upon hemoglobin formation during normal pregnancy, lx

L

Langston, William C. See Day, Langston, and Shukers, xxv

Lease, Jane G., Kelly, Eunice, and **Parsons, Helen T.** Effects on three types of animals of injecting the new factor curative of pellagra-like symptoms due to egg white, lxi

Lee, Pearl. See ERICKSON, JONES, BERNSTEIN, WILLIAMS, LEE, and MACY, xxxii

Leighty, John A. See CORLEY and LEIGHTY, xxii

Lepkovsky, Samuel, and **Jukes, Thomas H.** The effect of some reagents on the "filtrate factor" (a member of the vitamin B complex promoting growth and preventing a dietary dermatitis in chicks), lxi

— and —. The effect of some reagents on the "filtrate factor" (a water-soluble vitamin belonging to the vitamin B complex and preventing a dietary dermatitis in chicks), 109

—. See JUKES and LEPKOVSKY, 117

Letonoff, T. V., and **Reinhold, John G.** A colorimetric method for the determination of inorganic sulfate in serum and urine, 147

—. See REINHOLD and LETONOFF, lxxxiii

Levene, P. A., and **Compton, Jack.** Synthetic nucleosides. IV. Theophylline-5-methyl-*l*-rhamnofuranoside, 9

Lewis, Howard B., Brown, Barker H., and **White, Florence R.** The metabolism of sulfur. XXIII. The influence of the ingestion of cystine, cysteine, and methionine on the excretion of cystine in cystinuria, 171

Lewis, Robert C. See RYMER and LEWIS, 361

Link, Karl Paul. See MORELL and LINK, 123

Localio, Sylvio. See DOBRINER, LOCALIO, and STRAIN, xxvi

Looney, Joseph M., and **Darnell, Matthew C., Jr.** The blood pressure-raising principle of adrenal cortex extracts, lxii

Lowry, Hope. See GREEN, LOWRY, ELEY, and MCKHANN, xlii

Ludewig, Stephan. See CHANUTIN and LUDEWIG, xviii

M

Macallum, A. Bruce. Recent studies on the insuletropic hormone, lxiii

MacLachlan, P. L. Fat metabolism in plants, with special reference to sterols. II. Differential changes in the cotyledons and in the roots, stems, and leaves, 185

Macy, Icie G. See ERICKSON, JONES, BERNSTEIN, WILLIAMS, LEE, and MACY, xxxii

Mangun, George. See MYERS and MANGUN, lxxv

Mann, Frank C. See FLOCK, BOLLMAN, and MANN, xxxvi

Markley, K. S. See SANDO, MARKLEY, and MATLACK, 39

Mason, Harold L., Myers, Charles S., and **Kendall, Edward C.** The chemistry of crystalline substances isolated from the suprarenal gland, 613

—. See KENDALL, MASON, MYERS, and ALLERS, lvii

Mason, Morton F., Blalock, Alfred, and **Harrison, Tinsley R.** The direct measurement of renal blood flow and oxygen

consumption in unanesthetized dogs, lxiv

Matlack, M. B. See SANDO, MARKLEY, and MATLACK, 39

Mattill, H. A. See FRENCH and MATTILL, xxxvii

—. See OLCOTT and MATTILL, lxxvii

Maxwell, L. C. See BISCHOFF and MAXWELL, xi

McAmis, Ava Josephine, and **Sweet, Marion H.** The influence of a diet rich in avocado on growth and on the quality of body fat in the albino rat, lxiv

McCay, C. M., Tunison, A. V., Crowell, Mary, and **Paul, Henry.** The calcium and phosphorus content of the body of the brook trout in relation to age, growth, and food, 259

McCoy, Richard H. See McLEAN and McCOY, lxv

—. See ROSE, KEMMERER, WOMACK, MERTZ, GUNTHER, McCOY, and MEYER, lxxxv

McDonald, Francis G. The multiple nature of vitamin D. III. Irradiated 22-dihydroergosterol, lxv

McKhann, Charles F. See GREEN, LOWRY, ELEY, and McKHANN, xlii

McLean, Franklin C., and **McCoy, Richard H.** Calcification in rachitic cartilage induced by administration of phosphate, and by parathyroid extract, lxv

McMeekin, Thomas L. Addition compounds of amino acids with formamide, lxvi

McMeekin, Thomas L. See COHN and McMEEKIN, xx

Medes, Grace. A study of the cystine content of normal urine, lxvii

Mehl, John W., and **Schmidt, Carl L. A.** Diffusion coefficients of potassium chloride, glycine, and alanine, lxvii

Meigs, Edward B. See TURNER, MEIGS, and CONVERSE, civ

Mertz, Edwin T. See ROSE, KEMMERER, WOMACK, MERTZ, GUNTHER, McCOY, and MEYER, lxxxv

Meyer, Curtis E. See ROSE, KEMMERER, WOMACK, MERTZ, GUNTHER, McCOY, and MEYER, lxxxv

Meyer, Karl, and **Palmer, John W.** A new classification of glycoproteins, lxviii

— and —. Observations on the polyuronic acids of vitreous humor and umbilical cord, lxix

— and —. On glycoproteins. II. The polysaccharides of vitreous humor and of umbilical cord, 689

Meyer, Roland K. See GUSTUS, MEYER, and WOODS, 59

Michaelis, Leonor, and **Smythe, C. V.** An improved method of preparing hexosemonophosphate from yeast extract, lxx

Milhorat, Ade T., and **Toscani, Vincent.** The metabolism of glycolic acid in progressive muscular dystrophy, 461

Miller, Benjamin F., and **Van Slyke, Donald D.** A direct

microtitration method for blood sugar, lxxi, 583
Moore, Elinor, and **Wilson, D. Wright.** The nitrogenous extractives of pecten muscle, lxxi
Morell, Sam, and **Link, Karl Paul.** Note on the preparation of sinigrin, 123
Morgulis, Sergius, and **Spencer, Howard C.** Biochemical studies on the muscles of dystrophic rabbits, lxxii
Morris, Mark L. See GREEN, MORRIS, CAHILL, and BRAND, 91
Morrison, Dempsie B., and **Hisey, Alan.** Preparation and some properties of dried hemoglobin, lxxiii
Morse, Minerva, and **Schlutz, Frederic W.** Dehydration as a factor influencing the concentration of serum chloride, base, and protein of the normal dog during exercise, lxxiv
Mueller, Arthur J. See COX and MUELLER, xxii
Muntwyler, Edward. See BOWMAN and MUNTWYLER, xiv
Musulin, R. R., Woodward, Gladys E., Silverblatt, Ethyl, and **King, C. G.** The vitamin C content of tumor tissue, lxxiv
Myers, Charles S. See KENDALL, MASON, MYERS, and ALLERS, lvii
—. See MASON, MYERS, and KENDALL, 613
Myers, Victor C., and **Mangun, George.** The potassium content of muscle and its possible relation to muscle creatine, lxxv

N

Natelson, Samuel. See DREKTER, SOBEL, and NATELSON, xxviii
—. See SOBEL, DREKTER, and NATELSON, xcvi
Nelson, C. Ferdinand, and **Stoker, Ruth.** The hemoglobin concentration and red cell count of healthy men, lxxvi
Nelson, Norton. See ROBINSON, PRICE, HOGDEN, NELSON, and CULLEN, lxxxiv
Newman, Ethel S. See FERRY, COHN, and NEWMAN, xxxiv
Newman, M. S. See ANDERSON, CROWDER, NEWMAN, and STODOLA, iii
—. See FIESER and NEWMAN, 705
Ney, Luman F., and **West, Edward S.** A potentiometric adaptation of the Shaffer-Hartmann sugar method, 547

O

Olcott, H. S., and **Mattill, H. A.** Vitamin E and early growth, lxxvii
Oleson, J. J. See ELVEHJEM, KOEHN, and OLESON, xxxi
van Ormondt, Johannes. Studies in the physical chemistry of lipopeptides. I, lxxvii
Orten, James M., and **Smith, Arthur H.** Precursors of endogenous citric acid, lxxviii

P

Painter, E. Page, and **Franke, Kurt W.** A comparison be-

tween the Benedict-Denis and Parr bomb methods for the determination of total sulfur in plants and proteins, 235

Palmer, John W. See MEYER and PALMER, lxviii, lxix, 689

Pappenheimer, Alwin M. See GOETTSCH and PAPPENHEIMER, xl, 673

Paquin, Felix, Jr., and **Anderson, William E.** Factors influencing the distribution and character of adipose tissue in the rat. III. The effect of thyroglobulin and of thyroxine, lxxix

—. See HENDRIX and PAQUIN, xlix

Parsons, Helen T. See LEASE, KELLY, and PARSONS, lxi

Patterson, Wilbur I. See DU VIGNEAUD and PATTERSON, 533

Paul, Henry. See MCCAY, TUNISON, CROWELL, and PAUL, 259

Pearl, Aaron. See SOBEL, PEARL, and KRAMER, xcvii

Pennington, W. D. See JENSEN, EVANS, PENNINGTON, and SCHOCK, 199

Peterson, W. H. See WOOLLEY and PETERSON, 85

Pfiffner, J. J., and **Wintersteiner, Oskar.** Chemical investigations on the cortical hormone of the adrenal gland, lxxx

Phillips, Max, and **Goss, M. J.** The chemistry of lignin. X. Lignin from oat straw, 557

Potter, V. R., and **Elvehjem, C. A.** A modified method for the study of tissue oxidations, 495

Power, Marschelle H., and **Keith, Norman M.** Experiments on the distribution and renal excretion of sucrose injected intravenously in dogs, lxxx

Preisler, Paul W., and **Hempelman, Louis H.** Oxidation-reduction potentials of N-methyl-β-oxyphenazine (isomer of pyocyanine) and related substances, lxxxi

Price, J. Waide. See ROBINSON, PRICE, and CULLEN, 321

—. See ROBINSON, PRICE, HOGDEN, NELSON, and CULLEN, lxxxiv

Price, W. H. See GAEBLER and PRICE, xxxix

Q

Quick, Armand J. The coagulation defect in peptone shock and in sweet clover disease, lxxxii

R

Rabinowitch, I. M. Clinical and metabolic studies of the Eskimo, lxxxii

Razek, Joseph. See SUNDERMAN and RAZEK, civ

Rees, Francis M. See BRAUN and REES, 415

Reinhold, John G., and **Letonoff, T. V.** A fermentable, zinc-precipitable reducing substance in blood in diabetic coma, lxxxiii

—. See LETONOFF and REINHOLD, 147

Remp, Donald G. See BING, BENES, and REMP, x

Ridout, Jessie H. See BEST and RIDOUT, ix

Riemenschneider, R. W., and **Ellis, N. R.** The effect of ingested cottonseed meal upon the distribution of the constituent fatty acids of goat milk, 441

Rittenberg, D. See SCHOENHEIMER and RITTENBERG, lxxxvii, 381

Robinson, Howard W., Price, J. Waide, and **Cullen, Glenn E.** Studies on the acid-base condition of blood. V. The influence of protein concentration on the colorimetric pH determination of blood serum, 321

—, —, **Hogden, Corinne, Nelson, Norton,** and **Cullen, Glenn E.** Studies on the acid-base condition of blood. VI. The changes in color and absorption curves of a phosphate buffer-phenol red solution on the addition of blood serum of various species, lxxxiv

Rose, William C., Kemmerer, Kenneth S., Womack, Madelyn, Mertz, Edwin T., Gunther, J. Kenneth, McCoy, Richard H., and **Meyer, Curtis E.** The present status of the amino acids in nutrition, lxxxv

Ross, William F. See BERGMANN and Ross, 717

Rottschaefer, Ellen Schock, and **Bethell, Frank H.** Simultaneous studies of the colloid osmotic pressure of the blood serum and changes in erythrocyte form during pregnancy, lxxxv

Roughton, F. J. W. The rapid thermochemistry of carbonic acid, lxxxvi

Rubin, Solomon H. See GREENWALD and RUBIN, xlv

Rymer, Marion Reinhardt, and **Lewis, Robert C.** Further study of the growth effect of the residue remaining after alcoholic extraction of yeast, 361

S

Saifer, Abraham, and **Kornblum, Morris.** Determination of chlorides in biological fluids by the use of adsorption indicators. The use of diphenylamine blue for the volumetric microdetermination of chlorides in urine and blood filtrates, 551

Sando, Charles E., Markley, K. S., and **Matlack, M. B.** Some chemical constituents of flowering dogwood (*Cornus florida*), 39

Sawyer, Susan D. See BLATHERWICK, BRADSHAW, and SAWYER, xii

Schlutz, Frederic W. See KNOTT and SCHLUTZ, lix

—. See MORSE and SCHLUTZ, lxxiv

Schmidt, Carl L. A. See MEHL and SCHMIDT, lxvii

Schock, Ellen D. See JENSEN, EVANS, PENNINGTON, and SCHOCK, 199

Schoenheimer, Rudolf, and **Evans, E. A., Jr.** Allocholes-

terol and epiallocholesterol, 567

Schoenheimer, Rudolf, and **Rittenberg, D.** Deuterium as an indicator in the study of intermediary metabolism. VI. Synthesis and destruction of fatty acids in the organism, 381

— and —. Synthesis and destruction of organic molecules in the animal organism as measured with deuterium as an indicator, lxxxvii

—. See Anchel and Schoenheimer, 539

Schubert, Maxwell P. Compounds of thiol acids with aldehydes, 341

Scott, Aleita Hopping. An aeration method for determining lactic acid, lxxxvii

Scott, D. A., and **Fisher, A. M.** The prolongation of insulin action by protamine and zinc, lxxxviii

Seibert, Florence B. Acid-base-combining capacity of tuberculin protein, lxxxix

Semb, Joseph. See Steenbock, Semb, and Van Donk, ci

Shaffer, Philip A. See Hill and Shaffer, li

Shear, M. J. Studies in carcinogenesis. III. Isomers of cholanthrene and methylcholanthrene, lxxxix

—. IV. Development of liver tumors in pure strain mice following the injection of 2-amino-5-azotoluene, xc

Sheppard, Fay, and **Everett, Mark R.** Differentiation of glucosides by prolonged action of bromine involving the second stage of oxidation, xci

Sheppeck, Michael, and **Griffith, Wendell H.** The effect of inorganic salts on the detoxication of benzoic acid in rats, xcii

Shine, William M. See Cori and Shine, xxi

Shinn, Leo A., and **Cary, C. A.** Determination of vitamin A in butter fat, xcii

Shukers, Carroll F. See Day, Langston, and Shukers, xxv

Silver, Bernard E., and **Cerecedo, Leopold R.** The metabolism of pyrimidines in the growing dog, xciii

Silverblatt, Ethyl. See Musulin, Woodward, Silverblatt, and King, lxxiv

Sinclair, Robert Gordon. Evidence of the synthesis of essential unsaturated fatty acids by the rat, xciv

—. Further evidence of the existence of metabolic and non-metabolic phospholipids, xciv

Smith, Arthur H. See Orten and Smith, lxxviii

—. See Swanson, Storvick, and Smith, 309

Smyth, Elizabeth M. See Meyer and Palmer, 689

Smythe, C. V. The action of iodoacetate and iodoacetamide on certain sulfhydryl groups, on urease, and on fermentation, xcv

Smythe, C. V. The reaction of iodoacetate and of iodoacetamide with various sulfhydryl groups, with urease, and with yeast preparations, 601

—. See MICHAELIS and SMYTHE, lxx

Sobel, Albert E., Drekter, I. J., and **Natelson, Samuel.** The quantitative isolation of small quantities of "free cholesterol" as the pyridine cholesteryl sulfate, xcvi

—, **Pearl, Aaron,** and **Kramer, Benjamin.** A micromethod for the determination of strontium and calcium in mixtures containing both, xcvii

—. See DREKTER, SOBEL, and NATELSON, xxviii

Somogyi, Michael. Paradoxical ketosis, xcviii

Spencer, Howard C. See MORGULIS and SPENCER, lxxii

Sperry, Warren M. The relationship between total and free cholesterol in human blood serum, 125, xcviii

Spiegel-Adolf, Mona. Further studies of polarization in tissue models, xcix

Stearns, Genevieve, and **Jeans, P. C.** The effect of the quantity of vitamin D intake upon calcium retention in infancy, c

—. See CATHERWOOD and STEARNS, xviii

Stecher, Robert M. See DANIELSON and STECHER, xxiii

Steenbock, H., Irwin, Margaret House, and **Weber, Janet.** The comparative rate of absorption of various fats, c

Steenbock, H., Semb, Joseph, and **Van Donk, Evelyn C.** Sexual differentiation in the storage of iron by the rat, ci

—. See HAMAN and STEENBOCK, 505

Stern, Kurt G. On the mechanism of enzyme action, ci

—. On the mechanism of enzyme action. A study of the decomposition of monoethyl hydrogen peroxide by catalase and of an intermediate enzyme-substrate compound, 473

Stodola, F. H., and **Anderson, R. J.** The chemistry of the lipids of tubercle bacilli. XLVI. Phthiocerol, a new alcohol from the wax of the human tubercle bacillus, 467

—. See ANDERSON, CROWDER, NEWMAN, and STODOLA, iii

—. See CROWDER, STODOLA, and ANDERSON, 431

Stoker, Ruth. See NELSON and STOKER, lxxvi

Storvick, Clare A. See SWANSON, STORVICK, and SMITH, 309

Strain, William H. See DOBRINER, LOCALIO, and STRAIN, xxvi

Strauss, Margaret B. See BUELL, ANDERSON, and STRAUSS, xvi

Subbarow, Yellapragada, and **Jacobson, B. M.** Chemical studies of the pernicious anemia principle in liver, cii

Sullivan, M. X. Further studies on muscular dystrophies, ciii
—, **Hess, W. C.**, and **Irreverre, Filadelfo.** Studies in muscular dystrophies. The presence of simple guanidine derivatives in the urine, 633
—. See Hess and Sullivan, xlix
Sunderman, F. William, and **Austin, J. Harold.** Method for measurement of serum volume, ciii
— and **Razek, Joseph.** Spectrophotometric studies of the color of solutions. I. Selection and application of light filters in the analysis of blood sugar by the Benedict method and of cholesterol by the Liebermann-Burchard reaction, civ
Supplee, G. C., Ansbacher, S., Bender, R. C., and **Flanigan, G. E.** The influence of milk constituents on the effectiveness of vitamin D, 95
Swanson, Pearl P., Storvick, Clare A., and **Smith, Arthur H.** Inorganic salts in nutrition. Changes in kidneys of rats fed a diet poor in inorganic constituents, 309
Sweet, Marion H. See McAmis and Sweet, lxiv

T

Teller, George L. Evidence concerning two types of plant diastase, 425
Toscani, Vincent. See Milhorat and Toscani, 461
Trevorrow, Virginia. See Fashena and Trevorrow, 351
Tufts, Elma V. See Greenberg, Anderson, and Tufts, xliii
—. See Greenberg and Tufts, 135
Tunison, A. V. See McCay, Tunison, Crowell, and Paul, 259
Turner, William A., Meigs, Edward B., and **Converse, H. T.** Toxic effect of cod liver oil in the ration of the rabbit and the calf, civ

V

Van Donk, Evelyn C. See Steenbock, Semb, and Van Donk, ci
Van Slyke, Donald D. See Miller and Van Slyke, lxxi, 583
Vickers, Percy. See Eagle and Vickers, 193
du Vigneaud, Vincent, and **Hunt, Madison.** The synthesis and depressor effect of *d*-carnosine, the enantiomorph of the naturally occurring form, cv
— and **Patterson, Wilbur I.** The synthesis of djenkolic acid, 533
Virtue, Robert W. Studies on the metabolism of sulfur in cats, cvi
Vollmar, G. K., and **Koehler, Alfred E.** The effect of insulin on liver glycogenase, cvi

W

Wade, Nelson J. See Katzman, Wade, and Doisy, lvi
Washburn, R. G. See Krauss and Washburn, 247

Watson, Cecil James. The origin of natural crystalline urobilin (stercobilin), 47

Weber, C. J. Studies on the metabolism of guanidoacetic acid, cvii

Weber, Janet. See STEENBOCK, IRWIN, and WEBER, c

Webster, M. Dorothy, and **Bernheim, Frederick.** Oxidation of amino acids by *Bacillus pyocyaneus* (*Pseudomonas aeruginosa*), 265

Weir, E. G., and **Hastings, A. Baird.** The ionization constants of calcium proteinate determined by the solubility of calcium carbonate, 397

Weiss, Alter. See FISHBERG, BIERMAN, and WEISS, xxxv

West, Edward S. See NEY and WEST, 547

Whipple, Dorothy V., and **Church, Charles F.** The composition of growth induced by vitamin B (B_1), cvii

White, Florence R. See LEWIS, BROWN, and WHITE, 171

Williams, Harold H. See ERICKSON, JONES, BERNSTEIN, WILLIAMS, LEE, and MACY, xxxii

—. See ERICKSON, WILLIAMS, BERNSTEIN, and JONES, xxxii

—. See HANSEN, WILSON, and WILLIAMS, 209

Wilson, D. Wright. See MOORE and WILSON, lxxi

Wilson, William R. See HANSEN, WILSON, and WILLIAMS, 209

Wintersteiner, Oskar. See PFIFFNER and WINTERSTEINER, lxxx

Wiseman, Herbert G., and **Kane, Edward A.** The determination of carotene in fresh plant materials, cviii

Womack, Madelyn. See ROSE, KEMMERER, WOMACK, MERTZ, GUNTHER, MCCOY, and MEYER, lxxxv

Wood, Tom. See GUSTAVSON, WOOD, and HAYS, xlvi

Woods, Oliver R. See GUSTUS, MEYER, and WOODS, 59

Woodward, Gladys E. See MUSULIN, WOODWARD, SILVERBLATT, and KING, lxxiv

Woolley, D. W., and **Peterson, W. H.** The chemistry of mold tissue. XI. Isolation of leucine and isoleucine from *Aspergillus sydowi*, 85

Wyckoff, Ralph W. G. See COREY and WYCKOFF, 407

Z

Zervas, Leonidas. See BERGMANN and ZERVAS, 711

INDEX TO SUBJECTS

A

Acetamide: Iodo-, sulfhydryl groups, urease, and fermentation, action (SMYTHE) xcv

—, — —, —, and yeast preparations, reactions (SMYTHE) 601

Acetate: Iodo-, sulfhydryl groups, urease, and fermentation, action (SMYTHE) xcv

—, — —, —, and yeast preparations, reactions (SMYTHE) 601

Acetic acid: Guanido-, metabolism (WEBER) cvii

Acid-base: Blood (ROBINSON, PRICE, and CULLEN) 321 (ROBINSON, PRICE, HOGDEN, NELSON, and CULLEN) lxxxiv

—, work, effect (HASTINGS, DILL, and EDWARDS) xlvii

-Combining capacity, tuberculin protein (SEIBERT) lxxxix

Acid-base equilibrium: Blood serum, hyperthermia (DANIELSON and STECHER) xxiii

Acids: Bile. *See* Bile acids

Adrenal: Cortex, chemistry and physiology (KENDALL, MASON, MYERS, and ALLERS) lvii

Adrenal—*continued:*

Cortex extract, blood pressure-raising principle (LOONEY and DARNELL) lxii

—, hormone, chemistry (PFIFFNER and WINTERSTEINER) lxxx

Crystalline compounds, chemistry (MASON, MYERS, and KENDALL) 613

Epinephrine, hypertension, essential, relation (KOEHLER) lix

Adrenalectomy: Carbohydrate metabolism effect (BUELL, ANDERSON, and STRAUSS) xvi

Age: Trout, brook, calcium and phosphorus, effect (MCCAY, TUNISON, CROWELL, and PAUL) 259

Aglycones: Cardiac, lactone group, Grignard reagent effect (JACOBS and ELDERFIELD) 597

Alanine: Diffusion coefficients (MEHL and SCHMIDT) lxvii

Albumin: Egg, acetyl derivatives, denaturation effect (HENDRIX and PAQUIN) xlix

Alcohol: Ethyl. *See* Ethyl alcohol

Aldehydes: Thiol acids, compounds (SCHUBERT) 341

Allocholesterol: (Schoenheimer and Evans) 567
Altitude: High, blood lactic acid, rest and work influence (Edwards) xxx
Amino acids: α-, bone phosphatase, effect (Bodansky) 273
Catabolism, phlorhizin effect (Corley and Leighty) xxii
Creatine formation and storage, injection effect (Beard and Boggess) viii, 771
Foods (Csonka) xxiii
Formamide and, compounds (McMeekin) lxvi
Nutrition, influence (Rose, Kemmerer, Womack, Mertz, Gunther, McCoy, and Meyer) lxxxv
Oxidation, *Bacillus pyocyaneus* (Webster and Bernheim) 265
—, keto acids and hydrogen peroxide production (Bernheim, Bernheim, and Gillaspie) 657
Solubility (Cohn and McMeekin) xx
Amino-5-azotoluene: 2-, liver tumors, relation (Shear) xc
Amylase: Formation, barley sprouting, heavy water influence (Caldwell and Doebbeling) xvii
Anemia: Casein, deaminized, relation (Hogan and Guerrant) li
Diet relation, monkey (Day, Langston, and Shukers) xxv
Anemia—*continued:*
Liver extract potency determination (Clark and Coene) xix
Milk iron and copper relation (Krauss and Washburn) 247
Pernicious, principle, liver, chemical study (Subbarow and Jacobson) cii
Anesthesia: Ether, urine ascorbic acid, effect (Bowman and Muntwyler) xiv
Anthraquinone sulfonates: Semiquinones (Hill and Shaffer) li
Antigens: Artificial, glucose- and glucuronic acid-containing, immunological properties (Goebel and Goodner) xl
Apparatus: Milking, small laboratory animals (Cox and Mueller) xxii
Ascorbic acid: *l*-, and sodium salt, Raman spectra (Edsall) xxviii
System, oxidation-reduction potentials (Ball) vii
Urine, ether anesthesia effect (Bowman and Muntwyler) xiv
Aspergillus sydowi: Leucine and isoleucine isolation (Woolley and Peterson) 85
Avocado: -Rich diet, growth and body fat, influence (McAmis and Sweet) lxiv

B

Bacillus: Tubercle. *See* Tubercle bacillus

Bacillus pyocyaneus: Amino acid oxidation (WEBSTER and BERNHEIM) 265
Barley: Sprouting, amylase formation, heavy water influence (CALDWELL and DOEBBELING) xvii
Base: Blood serum, exercise, dehydration influence (MORSE and SCHLUTZ) lxxiv
Total, blood and biological fluids, determination (KEYS) 449
Bean: *See also* Soy bean oil
Benzoic acid: Detoxication, inorganic salts, effect (SHEPPECK and GRIFFITH) xcii
Bile: Bile acids, analysis, differential (DOUBILET) 289
Bile acids: Bile and duodenal drainage, analysis, differential (DOUBILET) 289
Biological fluids: Base, total, determination (KEYS) 449
Blood: Acid-base (ROBINSON, PRICE, and CULLEN) 321 (ROBINSON, PRICE, HOGDEN, NELSON, and CULLEN) lxxxiv
—, work, effect (HASTINGS, DILL, and EDWARDS) xlvii
Base, total, determination (KEYS) 449
Coagulant, placenta (GREEN, LOWRY, ELEY, and MCKHANN) xlii
Flow, kidney, measurement, direct (MASON, BLALOCK, and HARRISON) lxiv
Lipids, extraction (BOYD) 223
Blood—*continued:*
Lipids, liver damage influence (CHANUTIN and LUDEWIG) xviii
Oxygen capacity (JOHNSON and HANKE) 157
Pregnancy, gonadotropic hormone preparation (GUSTUS, MEYER, and WOODS) 59
Reducing substance, fermentable, zinc-precipitable, diabetes, coma (REINHOLD and LETONOFF) lxxxiii
Blood cell: Red, count, men, healthy (NELSON and STOKER) lxxvi
—, form, pregnancy (ROTTSCHAEFER and BETHELL) lxxxv
—, membrane, phosphorus, inorganic, transfer across (HALPERN) 747
—, residue, posthemolysis, lipid partition (ERICKSON, WILLIAMS, BERNSTEIN, and JONES) xxxii
—, —, —, preparation (ERICKSON, JONES, BERNSTEIN, WILLIAMS, LEE, and MACY) xxxii
Volume, determination (EISENMAN) xxx
Blood pressure: -Raising principle, adrenal cortex extract (LOONEY and DARNELL) lxii
Blood serum: Acid-base equilibrium, hyperthermia (DANIELSON and STECHER) xxiii
Base, exercise, dehydration influence (MORSE and SCHLUTZ) lxxiv

Blood serum—*continued:*
Lipids, fat metabolism, intermediary, relation (HANSEN, WILSON, and WILLIAMS) 209
Osmotic pressure, colloid, pregnancy (ROTTSCHAEFER and BETHELL) lxxxv
Phosphate buffer-phenol red solution, effect (ROBINSON, PRICE, HOGDEN, NELSON, and CULLEN) lxxxiv
Volume, measurement (SUNDERMAN and AUSTIN) ciii
Blood sugar: Determination, Benedict, light filters, use (SUNDERMAN and RAZEK) ℌ civ
Dithio acids, substituted, effect (GREENSTEIN and FRIEDGOOD) xliv
Microtitration method (MILLER and VAN SLYKE) lxxi, 583
Bone: Phosphatase, α-amino acids, effect (BODANSKY) 273
Bromine: Glucoside differentiation, action (SHEPPARD and EVERETT) xci
Buffer: Phosphate, -phenol red solution, blood serum effect (ROBINSON, PRICE, HOGDEN, NELSON, and CULLEN) lxxxiv
Butter fat: Vitamin A, determination (SHINN and CARY) xcii

C

Calcification: Cartilage, rachitic, phosphate and parathyroid extract effect (MCLEAN and MCCOY) lxv
Calcium: Blood plasma and serum, state (GREENWALD and RUBIN) xlv
Microdetermination (SOBEL, PEARL, and KRAMER) xcvii
Retention, infancy, vitamin D effect (STEARNS and JEANS) c
Trout, brook, factors affecting (MCCAY, TUNISON, CROWELL, and PAUL) 259
Calcium carbonate: Solubility, calcium protein ionization constants, determination, relation (WEIR and HASTINGS) 397
Calcium proteinate: Ionization constants, determination (WEIR and HASTINGS) 397
Calf: Cod liver oil toxicity (TURNER, MEIGS, and CONVERSE) civ
Carbohydrate: Metabolism, adrenalectomy effect (BUELL, ANDERSON, and STRAUSS) xvi
Carbonic acid: Derivatives, tryptophane, growth and kynurenic acid production, relation (BAUGUESS and BERG) 253
Thermochemistry, rapid (ROUGHTON) lxxxvi
Carbonyl compounds: Unsaponifiable material, isolation (ANCHEL and SCHOENHEIMER) 539
Carboxyhemoglobin: Solubility, neutral salts (FERRY, COHN, and NEWMAN) xxxiv

Carcinogenesis: (SHEAR) xc
Cholanthrene and methylcholanthrene isomers, effect (SHEAR) lxxxix
Cardiac: *See* Heart
Carnosine: *d-*, synthesis and depressor effect (DU VIGNEAUD and HUNT) cv
Carotene: Plant, determination (WISEMAN and KANE) cviii
Cartilage: Rachitic, calcification, phosphate and parathyroid extract effect (MCLEAN and MCCOY) lxv
Casein: Cystine liberation rate, tryptic digestion (JONES and GERSDORFF) liii
Deaminized, anemia, relation (HOGAN and GUERRANT) li
Catalase: Monoethyl hydrogen peroxide decomposition (STERN) 473
Chick: Dermatitis, dietary, feedingstuff filtrate factor distribution (JUKES and LEPKOVSKY) 117
—, —, filtrate factor relation and properties (LEPKOVSKY and JUKES) 109, lxi
Encephalomalacia, nutritional, soy bean oil non-saponifiable matter, action (GOETTSCH and PAPPENHEIMER) xl
—, —, vegetable oils, effect (GOETTSCH and PAPPENHEIMER) 673
Gizzard factor, distribution and properties (BIRD, ELVEHJEM, and HART) x
Childhood: Creatine and creatinine metabolism (CATHERWOOD and STEARNS) xviii
Chloride(s): Blood filtrates, microdetermination, diphenylamine blue (SAIFER and KORNBLUM) 551
— serum, exercise, dehydration influence (MORSE and SCHLUTZ) lxxiv
Urine, microdetermination, diphenylamine blue (SAIFER and KORNBLUM) 551
Cholanthrene: Isomers, carcinogenesis effect (SHEAR) lxxxix
Methyl-, isomers, carcinogenesis effect (SHEAR) lxxxix
Cholesterol: Allo- (SCHOENHEIMER and EVANS) 567
Blood, cholesterol injection, intravenous, effect (FITZ and BRUGER) xxxv
—, determination, light filters, use (SUNDERMAN and RAZEK) civ
Epiallo- (SCHOENHEIMER and EVANS) 567
Free, blood, determination (DREKTER, SOBEL, and NATELSON) xxviii
—, determination (SOBEL, DREKTER, and NATELSON) xcvi
Isomers (EVANS) xxxiii
Liver fat, effect (BEST and RIDOUT) ix
Muscle (BLOOR) 639
Total and free, blood serum, human, relation (SPERRY) 125, xcviii
Choline: Liver fat, effect (BEST and RIDOUT) ix

Chrysalis oil: Fatty acids (BERGMANN) 27
Citric acid: Endogenous, precursors (ORTEN and SMITH) lxxviii
Iso-, synthesis, citric acid (GREENSTEIN) xliii
Clover: Sweet, disease, coagulation defect (QUICK) lxxxii
Coagulation: Defect, peptone shock and sweet clover disease (QUICK) lxxxii
Cod liver oil: Toxicity, rabbit and calf (TURNER, MEIGS, and CONVERSE) civ
Comb: Growth, male hormone preparation, reaction (GALLAGHER and KOCH) xxxix
Copper: Microdetermination, thiol acids, oxidation, relation (BJERRUM) 357
Milk, anemia relation (KRAUSS and WASHBURN) 247
Requirement, pregnancy (KYER and BETHELL) lx
Cornus florida: *See* Dogwood
Cottonseed meal: Milk, goat, fatty acids, distribution, ingestion effect (RIEMENSCHNEIDER and ELLIS) 441
Cotyledons: Fat and sterol metabolism (MACLACHLAN) 185
Creatine: Formation and storage, amino acids, injection effect (BEARD and BOGGESS) viii, 771
Metabolism, infancy and childhood (CATHERWOOD and STEARNS) xviii
—, temperature and thyroid function relation (BODANSKY and DUFF) xiii
Creatine—*continued:*
Muscle, potassium and, relation (MYERS and MANGUN) lxxv
Creatinine: Blood serum, ultrafiltrates, precipitation (GAEBLER) xxxviii
Metabolism, infancy and childhood (CATHERWOOD and STEARNS) xviii
Reaction, color, new (BENEDICT and BEHRE) 515
Cysteine: Cystine excretion, cystinuria, ingestion effect (LEWIS, BROWN, and WHITE) 171
Cystine: Calculi, cystinuria, dog (GREEN, MORRIS, CAHILL, and BRAND) 91
Casein digestion, trypsin, liberation rate (JONES and GERSDORFF) liii
Determination, Sullivan method (ANDREWS and ANDREWS) iv
—, Van Slyke amino nitrogen manometric method (KENDRICK and HANKE) lviii
Excretion, cystinuria, cystine, cysteine, and methionine ingestion, effect (LEWIS, BROWN, and WHITE) 171
Proteins, deaminized (HESS and SULLIVAN) xlix
Stability, digestion mixtures (JONES and GERSDORFF) liii
Urine, normal (MEDES) lxvii
Cystine dimethyl ester: Decomposition, spontaneous (COGHILL) xx, 419
Cystinuria: Cystine excretion, cystine, cysteine, and methionine ingestion, effect

(Lewis, Brown, and White) 171
Dog (Brand and Cahill) xv
—, cystine calculi and urine sulfur distribution (Green, Morris, Cahill, and Brand) 91

D

Dehydration: Blood serum chloride, base, and protein, exercise, influence (Morse and Schlutz) lxxiv
Dentin: Absorption coefficients, x-ray (Hollander) lii
Depressor: Activity, *d*-carnosine (du Vigneaud and Hunt) cv
Dermatitis: Chick, dietary, feedingstuff filtrate factor distribution (Jukes and Lepkovsky) 117
—, —, filtrate factor relation and properties (Lepkovsky and Jukes) 109, lxi
Rat, vitamin G complex relation (Dann) xxiv
Deuterium: Fatty acids synthesis and destruction indicator (Schoenheimer and Rittenberg) 381
Organic molecules, synthesis and destruction, body, as indicator (Schoenheimer and Rittenberg) lxxxvii
Diabetes: Coma, blood reducing substance, fermentable, zinc-precipitable (Reinhold and Letonoff) lxxxiii
Diastase: Plant, types (Teller) 425
Saliva (Cohn and Brookes) 139
Dibromoxyhydrouracil: Alkali action (Heyroth) p. 1
Diet: Anemia relation, monkey (Day, Langston, and Shukers) xxv
Dermatitis, chick, feedingstuff filtrate factor distribution (Jukes and Lepkovsky) 117
—, —, filtrate factor relation and properties (Lepkovsky and Jukes) 109, lxi
Encephalomalacia, chick, soy bean oil non-saponifiable matter, action (Goettsch and Pappenheimer) xl
—, —, vegetable oils, effect (Goettsch and Pappenheimer) 673
Factor, essential, yeast and liver extract (Elvehjem, Koehn, and Oleson) xxxi
Fat deficiency, effect (Brown and Burr) xvi
Hemoglobin formation, pregnancy, influence (Kyer and Bethell) lx
Leucopenia relation, monkey (Day, Langston, and Shukers) xxv
Liver phosphate compounds, effect (Flock, Bollman, and Mann) xxxvi
See also Feedingstuffs, Food
Dihalophenol: Metabolism effect, mechanism (Clowes and Krahl) xix
Dihydroergosterol: 22-, irradiated (McDonald) lxv
Dihydrovitamin: A, synthesis (Gould) xli
Dinitrophenol: Metabolism effect, mechanism (Clowes and Krahl) xix

Diphenylamine blue: Blood filtrates and urine chlorides, microdetermination (SAIFER and KORNBLUM) 551
Dithio acids: Substituted, blood sugar, effect (GREENSTEIN and FRIEDGOOD) xliv
Djenkolic acid: Synthesis (DU VIGNEAUD and PATTERSON) 533
Dogwood: Flowering, chemical constituents (SANDO, MARKLEY, and MATLACK) 39
Duodenum: Drainage, bile acids, analysis, differential (DOUBILET) 289

E

Echinochrome: Isolation and composition (BALL) vi
Egg: Albumin, acetyl derivatives, denaturation effect (HENDRIX and PAQUIN) xlix
White, pellagra-like symptoms from, curative factor (LEASE, KELLY, and PARSONS) lxi
Enamel: Absorption coefficients, x-ray (HOLLANDER) lii
Encephalomalacia: Nutritional, chicks, soy bean oil nonsaponifiable matter, action (GOETTSCH and PAPPENHEIMER) xl
—, —, vegetable oils, effect (GOETTSCH and PAPPENHEIMER) 673
Enzyme(s): Action, mechanism (STERN) ci, 473
Papain, activation (BERGMANN and Ross) 717
Enzyme(s)—*continued:*
Proteolytic (BERGMANN and ZERVAS) 711
See also Amylase, Catalase, Diastase, Glycogenase, Papain, Phosphatase, Urease
Epiallocholesterol: (SCHOENHEIMER and EVANS) 567
Epinephrine: Adrenal, hypertension, essential, relation (KOEHLER) lix
Ergosterol: 22-Dihydro-, irradiated (MCDONALD) lxv
Irradiated, toxicity, dog and rat (JONES) liv
Erythrocyte: *See* Blood cell, red
Eskimo: Metabolism (RABINOWITCH) lxxxii
Estrogenic substance: Urine, normal female (GUSTAVSON, WOOD, and HAYS) xlvi
Ether: Anesthesia, urine ascorbic acid, effect (BOWMAN and MUNTWYLER) xiv
Ethyl alcohol: Saliva, determination (FRIEDEMANN and BROOK) xxxvii
Exercise: Blood serum chloride, base, and protein, dehydration influence (MORSE and SCHLUTZ) lxxiv

F

Fasting: Muscle glycogen, effect (BLATHERWICK, BRADSHAW, and SAWYER) xii
Fat(s): Absorption rate, comparative (STEENBOCK, IRWIN, and WEBER) c
Body, avocado-rich diet, influence (MCAMIS and SWEET) lxiv

Fat(s)—*continued:*
Butter. *See* Butter fat
Deficiency, dietary (BROWN and BURR) xvi
Liver, cholesterol and choline effect (BEST and RIDOUT) ix
Metabolism, intermediary, blood serum lipids, relation (HANSEN, WILSON, and WILLIAMS) 209
—, plants (MACLACHLAN) 185
Oxidation system, *Lupinus albus* (CRAIG) 727
Fatty acids: Catabolism, phlorhizin effect (CORLEY and LEIGHTY) xxii
Chrysalis oil (BERGMANN) 27
Milk, goat, distribution, cottonseed meal ingestion effect (RIEMENSCHNEIDER and ELLIS) 441
Synthesis and destruction, deuterium as indicator (SCHOENHEIMER and RITTENBERG) 381
Unsaturated, essential, synthesis, rat (SINCLAIR) xciv
Feedingstuffs: Filtrate factor (JUKES and LEPKOVSKY) 117
Fever: Therapy, blood, venous, oxygen, effect (ADAMS and BOOTHBY) iii
Filtrate factor: Feedingstuffs (JUKES and LEPKOVSKY) 117
Properties (LEPKOVSKY and JUKES) 109, lxi
Fish: *See also* Trout
Follicle: -Stimulating hormone, urine, women, menopause (BLOCK, BRAND, HARRIS, and HINSIE) xii
Food(s): Amino acids (CSONKA) xxiii
Trout, brook, calcium and phosphorus, effect (MCCAY, TUNISON, CROWELL, and PAUL) 259
Formamide: Amino acids and, compounds (MCMEEKIN) lxvi

G

Gelatin: Salts and, interaction (JOSEPH) lv
Gizzard: Factor, chick, distribution and properties (BIRD, ELVEHJEM, and HART) x
Glucose: -Containing antigens, artificial, immunological properties (GOEBEL and GOODNER) xl
Liver, hexoses and trioses, relation (CORI and SHINE) xxi
Glucosides: Differentiation, bromine action (SHEPPARD and EVERETT) xci
Glucuronic acid: -Containing antigens, artificial, immunological properties (GOEBEL and GOODNER) xl
Glycine: Determination, Van Slyke amino nitrogen manometric method (KENDRICK and HANKE) lviii
Diffusion coefficients (MEHL and SCHMIDT) lxvii
Glycogen: Muscle, fasting effect (BLATHERWICK, BRADSHAW, and SAWYER) xii

Glycogenase: Liver, insulin effect (VOLLMAR and KOEHLER) cvi

Glycolic acid: Metabolism, muscular dystrophy, progressive (MILHORAT and TOSCANI) 461

Glycoproteins: (MEYER and PALMER) 689

Classification, new (MEYER and PALMER) lxviii

Goat: Milk fatty acids, distribution, cottonseed meal ingestion effect (RIEMENSCHNEIDER and ELLIS) 441

Goiter: Thyroglobulin nitrogen distribution, tyrosine and tryptophane (CAVETT) 65

Gonadotropic hormone: Blood, pregnancy, preparation (GUSTUS, MEYER, and WOODS) 59

Grignard reagent: Cardiac aglycones, lactone group, effect (JACOBS and ELDERFIELD) 597

Growth: Avocado-rich diet, influence (MCAMIS and SWEET) lxiv

Body magnesium relation (GREENBERG and TUFTS) 135

Preparation, pituitary, anterior, sulfur metabolism, effect (GAEBLER and PRICE) xxxix

Pyrimidine metabolism (SILVER and CERECEDO) xciii

Trout, brook, calcium and phosphorus, effect (MCCAY, TUNISON, CROWELL, and PAUL) 259

Growth—*continued:*

Tryptophane carbonic acid derivative, relation (BAUGUESS and BERG) 253

Vitamin B_1, composition, effect (WHIPPLE and CHURCH) cvii

— E relation (OLCOTT and MATTILL) lxxvii

Yeast alcohol extract, relation (RYMER and LEWIS) 361

Guanidine: Derivatives, urine, muscle dystrophies (SULLIVAN, HESS, and IRREVERRE) 633

Test, colorimetric, Sullivan (BRAUN and REES) 415

Guanidoacetic acid: Metabolism (WEBER) cvii

H

Hair: Hydrolysis (ANDREWS) iii

Heart: Cardiac aglycones, lactone group, Grignard reagent effect (JACOBS and ELDERFIELD) 597

Hemin: Fate, alimentary (BING, BENES, and REMP) x

Hemoglobin: Absorption spectra (DRABKIN) xxvii

Carboxy-, solubility, neutral salts (FERRY, COHN, and NEWMAN) xxxiv

Dried, preparation and properties (MORRISON and HISEY) lxxiii

Formation, pregnancy, diet influence (KYER and BETHELL) lx

Men, healthy (NELSON and STOKER) lxxvi

Hemolysis: Post-, residue, blood cell, red, lipid partition (Erickson, Williams, Bernstein, and Jones) xxxii
—, —, — —, red, preparation (Erickson, Jones, Bernstein, Williams, Lee, and Macy) xxxii
Hemorrhage: Anti-, vitamin (Almquist) 241
Hexosemonophosphate: Yeast extract, preparation (Michaelis and Smythe) lxx
Hexoses: Liver glucose, relation (Cori and Shine) xxi
Hydrogen ion concentration: Blood serum, determination, colorimetric, protein effect (Robinson, Price, and Cullen) 321
Hydrogen peroxide: Monoethyl, decomposition, catalase (Stern) 473
Production, amino acids oxidation (Bernheim, Bernheim, and Gillaspie) 657
Hypertension: Essential, adrenal epinephrine relation (Koehler) lix
Hyperthermia: Blood serum acid-base equilibrium (Danielson and Stecher) xxiii

I

Infancy: Calcium retention, vitamin D effect (Stearns and Jeans) c
Creatine and creatinine metabolism (Catherwood and Stearns) xviii
Inorganic constituents: Diet poor in, kidney effect (Swanson, Storvick, and Smith) 309
Inorganic salts: Benzoic acid detoxication, effect (Sheppeck and Griffith) xcii
Nutrition (Swanson, Storvick, and Smith) 309
Insulin: Action, protamine and zinc effect (Scott and Fisher) lxxxviii
-Like hormone (Macallum) lxiii
Liver glycogenase, effect (Vollmar and Koehler) cvi
Reactions (Jensen, Evans, Pennington, and Schock) 199
Iodine: Biological material, determination (Fashena and Trevorrow) 351
Papain inactivation (Bergmann and Zervas) 711
Iodoacetamide: Sulfhydryl groups, urease, and fermentation, action (Smythe) xcv
— —, —, — yeast preparations, reaction (Smythe) 601
Iodoacetate: Sulfhydryl groups, urease, and fermentation, action (Smythe) xcv
— —, —, — yeast preparations, reaction (Smythe) 601
Iron: Blood (Johnson and Hanke) 157
Milk, anemia relation (Krauss and Washburn) 247
Requirement, pregnancy (Kyer and Bethell) lx

Iron—*continued:*
Storage, sex influence (Steenbock, Semb, and Van Donk) ci
Isocitric acid: Synthesis, citric acid (Greenstein) xliii
Isoelectric points: Calculation (Hitchcock) 373
Isoelectric zones: Calculation (Hitchcock) 373
Isoleucine: *Aspergillus sydowi*, isolation (Woolley and Peterson) 85

K

Keto acids: Production, amino acids oxidation (Bernheim, Bernheim, and Gillaspie) 657
Ketosis: Paradoxical (Somogyi) xcviii
Kidney: Blood flow, measurement (Mason, Blalock, and Harrison) lxiv
Diet poor in inorganic constituents, effect (Swanson, Storvick, and Smith) 309
Oxygen consumption, measurement, direct (Mason, Blalock, and Harrison) lxiv
Kynurenic acid: Production, tryptophane carbonic acid derivatives, relation (Bauguess and Berg) 253

L

Lactic acid: Blood, high altitudes, rest and work influence (Edwards) xxx
Determination, aeration method (Scott) lxxxvii
Lapachol: Oxidation-reduction (Ball) 649
Leaf: Fat and sterol metabolism (MacLachlan) 185
Leprosin: Composition (Anderson, Crowder, Newman, and Stodola) iii
Leprosol: α- and β-, isolation (Crowder, Stodola, and Anderson) 431
Leucine: *Aspergillus sydowi*, isolation (Woolley and Peterson) 85
Iso-, *Aspergillus sydowi*, isolation (Woolley and Peterson) 85
Leucopenia: Diet relation, monkey (Day, Langston, and Shukers) xxv
Lignin: Oat straw (Phillips and Goss) 557
Lipid(s): Blood, extraction (Boyd) 223
—, liver damage influence (Chanutin and Ludewig) xviii
— serum, fat metabolism, intermediary, relation (Hansen, Wilson, and Williams) 209
Partition, blood cell, red, posthemolytic residue (Erickson, Williams, Bernstein, and Jones) xxxii
Tubercle bacillus, chemistry (Crowder, Stodola, and Anderson) 431
(Stodola and Anderson) 467
Lipopeptides: Physical chemistry (van Ormondt) lxxvii
Liver: Anemia, pernicious, principle, chemical study (Subbarow and Jacobson) cii

Liver—*continued:*
Damage, blood lipids, influence (Chanutin and Ludewig) xvii
Extract, anemia potency determination (Clark and Coene) xix
—, dietary factor, essential (Elvehjem, Koehn, and Oleson) xxxi
Fat, cholesterol and choline effect (Best and Ridout) ix
Glucose, hexoses and trioses, relation (Cori and Shine) xxi
Glycogenase, insulin effect (Vollmar and Koehler) cvi
Phosphate compounds, diet effect (Flock, Bollman, and Mann) xxxvi
Tumors, 2-amino-5-azotoluene, relation (Shear) xc
Lomatiol: Oxidation-reduction (Ball) 649
Lupinus albus: Fat oxidation system (Craig) 727
Lysine: *dl*-, resolution (Berg) viii

M

Macromolecular solids: Long spacings (Corey and Wyckoff) 407
Magnesium: Body, growth and development, relation (Greenberg and Tufts) 135
-Low diet, tissue changes (Greenberg, Anderson, and Tufts) xliii
Menopause: Urine follicle-stimulating hormone (Block, Brand, Harris, and Hinsie) xii
Metabolism: Carbohydrate, adrenalectomy effect (Buell, Anderson, and Strauss) xvi
Dihalophenol effect, mechanism (Clowes and Krahl) xix
Dinitrophenol effect, mechanism (Clowes and Krahl) xix
Eskimo (Rabinowitch) lxxxii
Fat, intermediary, blood serum lipids, relation (Hansen, Wilson, and Williams) 209
—, plants (MacLachlan) 185
Intermediary, deuterium as indicator (Schoenheimer and Rittenberg) 381
Phospholipid, tumors (Haven) xlvii
Pyrimidines, growth (Silver and Cerecedo) xciii
Sterols, plants (MacLachlan) 185
Sulfur (Lewis, Brown, and White) 171
—, cat (Virtue) cvi
—, pituitary, anterior, growth preparation, effect (Gaebler and Price) xxxix
Trihalophenol effect, mechanism (Clowes and Krahl) xix
Methionine: Cystine excretion, cystinuria, ingestion effect (Lewis, Brown, and White) 171
Proteins, determination (Baernstein) v

Methylcholanthrene: Isomers, carcinogenesis effect (SHEAR) lxxxix

N-Methyl-β-oxyphenazine: Oxidation-reduction potentials (PREISLER and HEMPELMAN) lxxxi

Milk: Constituents, vitamin D and, relation (SUPPLEE, ANSBACHER, BENDER, and FLANIGAN) 95

Goat, fatty acids, distribution, cottonseed meal ingestion effect (RIEMENSCHNEIDER and ELLIS) 441

Rat (COX and MUELLER) xxii

Milking: Apparatus, small laboratory animals (COX and MUELLER) xxii

Mold: Tissue, chemistry (WOOLLEY and PETERSON) 85

Molecular solids: Macro-, long spacings (COREY and WYCKOFF) 407

Monkey: Leucopenia and anemia, diet relation (DAY, LANGSTON, and SHUKERS) xxv

Monoethyl hydrogen peroxide: Decomposition, catalase (STERN) 473

Muscle: Cholesterol (BLOOR) 639

Creatine and potassium, relation (MYERS and MANGUN) lxxv

Dystrophies (SULLIVAN) ciii

—, urine guanidine derivatives (SULLIVAN, HESS, and IRREVERRE) 633

Dystrophy (MORGULIS and SPENCER) lxxii

Muscle—*continued:*

Dystrophy, progressive, glycolic acid metabolism (MILHORAT and TOSCANI) 461

Glycogen, fasting effect (BLATHERWICK, BRADSHAW, and SAWYER) xii

Pecten, nitrogenous extractives (MOORE and WILSON) lxxi

Potassium and creatine, relation (MYERS and MANGUN) lxxv

N

Nitrogen: Distribution, thyroglobulin, normal and goitrous (CAVETT) 65

Excretion, endogenous, protein biological value, relation (FRENCH and MATTILL) xxxvii

Metabolism, temperature and thyroid function relation (BODANSKY and DUFF) xiii

Nitrogenous extractives: Muscle, pecten (MOORE and WILSON) lxxi

Nucleosides: Synthetic (LEVENE and COMPTON) 9

Nutrition: *See* Diet

O

Oat: Straw, lignin (PHILLIPS and Goss) 557

Oil(s): *See also* Chrysalis oil, Cod liver oil, Soy bean oil, Vegetable oils

Organic molecules: Synthesis and destruction, body, deuterium as indicator (SCHOENHEIMER and RITTENBERG) lxxxvii

Osmotic pressure: Colloid, blood serum, pregnancy (ROTTSCHAEFER and BETHELL) lxxxv
Ouabain: (FIESER and NEWMAN) 705
Oxidation: Tissue, method for study (POTTER and ELVEHJEM) 495
Oxidation-reduction: (BALL) 649
Oxygen: Blood, venous, fever therapy and oxygen administration effect (ADAMS and BOOTHBY) iii
Capacity, blood (JOHNSON and HANKE) 157
Consumption, kidney, measurement, direct (MASON, BLALOCK, and HARRISON) lxiv

P

Papain: Enzymes, activation (BERGMANN and ROSS) 717
Inactivation, iodine (BERGMANN and ZERVAS) 711
Parathyroid: Tetany, blood serum phosphate relation (JONES) liv
Parathyroid extract: Rachitic cartilage calcification, effect (MCLEAN and MCCOY) lxv
Toxicity, dog and rat (JONES) liv
Parotid: Saliva, human, protein (BRAMKAMP) 369
Pecten: Muscle, nitrogenous extractives (MOORE and WILSON) lxxi
Pellagra: Human, vitamin G complex relation (DANN) xxiv
-Like symptoms, egg white-produced, curative factor (LEASE, KELLY, and PARSONS) lxi
Peptides: Solubility (COHN and MCMEEKIN) xx
Peptone: Shock, coagulation defect (QUICK) lxxxii
Perspiration: (DILL, DALY, and BOCK) xxv
Phenazine: N-Methyl-β-oxy-, oxidation-reduction potentials (PREISLER and HEMPELMAN) lxxxi
Phenol: Dihalo-, metabolism effect, mechanism (CLOWES and KRAHL) xix
Dinitro-, metabolism effect, mechanism (CLOWES and KRAHL) xix
Trihalo-, metabolism effect, mechanism (CLOWES and KRAHL) xix
Phenol red: Phosphate buffer-, solution, blood serum effect (ROBINSON, PRICE, HOGDEN, NELSON, and CULLEN) lxxxiv
Phenolic substances: Urine (EDWARDS) xxix
Phlorhizin: Amino acids and fatty acids, catabolism, effect (CORLEY and LEIGHTY) xxii
Phosphatase: Bone, α-amino acids, effect (BODANSKY) 273
Phosphate: Blood serum, tetany, parathyroid, relation (JONES) liv

Phosphate—*continued:*
Buffer-phenol red solution, blood serum effect (Robinson, Price, Hogden, Nelson, and Cullen) lxxxiv
Compounds, liver, diet effect (Flock, Bollman, and Mann) xxxvi
Rachitic cartilage calcification, administration effect (McLean and McCoy) lxv
Phospholipid(s): Metabolic and non-metabolic (Sinclair) xciv
Metabolism, tumors (Haven) xlvii
Phosphorus: Inorganic, blood cell, red, permeability (Halpern) 747
Trout, brook, factors affecting (McCay, Tunison, Crowell, and Paul) 259
Phthiocerol: Tubercle bacillus, human (Stodola and Anderson) 467
Pituitary: Anterior, growth preparation, sulfur metabolism, effect (Gaebler and Price) xxxix
—, inhibitory substances, production (Katzman, Wade, and Doisy) lvi
Placenta: Blood coagulant (Green, Lowry, Eley, and McKhann) xlii
Plants: Fat and sterol metabolism (MacLachlan) 185
Polarization: Tissue models (Spiegel-Adolf) xcix
Polysaccharides: Vitreous humor and umbilical cord (Meyer and Palmer) 689
Polyuronic acids: Vitreous humor and umbilical cord (Meyer and Palmer) lxix
Porphyrins: Excretion, porphyrinuria, congenital (Dobriner, Localio, and Strain) xxvi
Porphyrinuria: Congenital, porphyrins excretion (Dobiner, Localio, and Strain) xxvi
Potassium: Muscle, creatine and, relation (Myers and Mangun) lxxv
Potassium chloride: Diffusion coefficients (Mehl and Schmidt) lxvii
Pregnancy: Blood gonadotropic hormone preparation (Gustus, Meyer, and Woods) 59
— serum colloid osmotic pressure and erythrocyte form (Rottschaefer and Bethell) lxxxv
Copper requirement (Kyer and Bethell) lx
Hemoglobin formation, diet influence (Kyer and Bethell) lx
Iron requirement (Kyer and Bethell) lx
Protamine: Insulin action, effect (Scott and Fisher) lxxxviii
Protein(s): Biological value, nitrogen excretion, endogenous, relation (French and Mattill) xxxvii
Blood serum, exercise, dehydration influence (Morse and Schlutz) lxxiv

Protein(s)—*continued:*
Blood serum hydrogen ion concentration determination, colorimetric, effect (ROBINSON, PRICE, and CULLEN) 321
Deaminized, cystine (HESS and SULLIVAN) xlix
Denaturation, sound waves, effect (CHAMBERS and FLOSDORF) 75
Digestibility *in vitro* (JONES and GERSDORFF) liii
Hormones, resorption, delayed, influence (BISCHOFF and MAXWELL) xi
Methionine determination (BAERNSTEIN) v
Saliva, parotid, human (BRAMKAMP) 369
Sulfanilic acid, diazotized, and, reaction (EAGLE and VICKERS) 193
Sulfur, total, determination (PAINTER and FRANKE) 235
Tuberculin, acid-base-combining capacity (SEIBERT) lxxxix
Proteolysis: Enzymes (BERGMANN and ZERVAS) 711
(BERGMANN and ROSS) 717
Pseudomonas aeruginosa: *See Bacillus pyocyaneus*
Pyocyanine: Isomer, oxidation-reduction potentials (PREISLER and HEMPELMAN) lxxxi
Pyrimidines: Metabolism, growth (SILVER and CERECEDO) xciii

Q

Quinones: Semi-, anthraquinone sulfonate (HILL and SHAFFER) li

R

Reducing substance: Fermentable zinc-precipitable, blood, diabetic coma (REINHOLD and LETONOFF) lxxxiii
Renal: *See* Kidney
Rhamnofuranoside: Theophylline-5-methyl-*l*- (LEVENE and COMPTON) 9
Rickets: Antirachitic effectiveness, vitamin D, various sources (HAMAN and STEENBOCK) 505
Cartilage calcification, phosphate and parathyroid extract effect (MCLEAN and MCCOY) lxv
Roots: Fat and sterol metabolism (MACLACHLAN) 185

S

Saliva: Diastase (COHN and BROOKES) 139
Ethyl alcohol determination (FRIEDEMANN and BROOK) xxxvii
Parotid, human, protein (BRAMKAMP) 369
Salts: Inorganic. *See* Inorganic salts
Semiquinones: Anthraquinone sulfonates (HILL and SHAFFER) li
Sex: Hormone, male, preparation, comb growth reaction (GALLAGHER and KOCH) xxxix

Sex—*continued:*
Iron storage, influence (Steenbock, Semb, and VanDonk) ci

Shock: Peptone, coagulation defect (Quick) lxxxii

Silicon: Microdetermination (De Eds and Eddy) 667

Sinigrin: Preparation (Morell and Link) 123

Sound waves: Protein denaturation, effect (Chambers and Flosdorf) 75

Soy bean oil: Non-saponifiable matter, encephalomalacia, nutritional, chicks, action (Goettsch and Pappenheimer) xl

Spacings: Long, macromolecular solids (Corey and Wyckoff) 407

Spectrophotometry: Solutions, color (Sunderman and Razek) civ

Stems: Fat and sterol metabolism (MacLachlan) 185

Stercobilin: Origin (Watson) 47

Sterols: Metabolism, plants (MacLachlan) 185

Straw: Oat, lignin (Phillips and Goss) 557

Strontium: Microdetermination (Sobel, Pearl, and Kramer) xcvii

Sucrose: Excretion, intravenous injection effect (Power and Keith) lxxx

Sugar: Method, Shaffer-Hartmann, potentiometric adaptation (Ney and West) 547

Sulfanilic acid: Diazotized, proteins and, reaction (Eagle and Vickers) 193

Sulfate: Inorganic, blood serum and urine, determination, colorimetric (Letonoff and Reinhold) 147

Sulfhydryl groups: Iodoacetate and iodoacetamide reaction (Smythe) xcv, 601

Sulfur: Distribution, urine, cystinuria, dog (Green, Morris, Cahill, and Brand) 91
Metabolism (Lewis, Brown, and White) 171
—, cat (Virtue) cvi
—, pituitary, anterior, growth preparation, effect (Gaebler and Price) xxxix
Total, plants and proteins, determination (Painter and Franke) 235

Suprarenal: *See* Adrenal

Sweat. *See* Perspiration

T

Temperature: Environmental, nitrogen and creatine metabolism, relation (Bodansky and Duff) xiii
High, chemical adjustments (Fishberg, Bierman, and Weiss) xxxv

Tetany: Parathyroid, blood serum phosphate relation (Jones) liv

Theophylline-5-methyl-*l*-rhamnofuranoside: (Levene and Compton) 9

Thiol acids: Aldehydes, compounds (Schubert) 341
Oxidation, copper microdetermination, relation (Bjerrum) 357

Thymus: Vitamin C, histological changes, relation (GLICK and BISKIND) 1
Thyroglobulin: Adipose tissue, effect (PAQUIN and ANDERSON) lxxix
Nitrogen distribution, tyrosine and tryptophane, normal and goitrous (CAVETT) 65
Thyroid: Function, nitrogen and creatine metabolism, relation (BODANSKY and DUFF) xiii
Thyroxine: Adipose tissue, effect (PAQUIN and ANDERSON) lxxix
Tissue(s): Adipose, thyroglobulin and thyroxine effect (PAQUIN and ANDERSON) lxxix
Magnesium-low diet, effect (GREENBERG, ANDERSON, and TUFTS) xliii
Models, polarization (SPIEGEL-ADOLF) xcix
Oxidations, method for study (POTTER and ELVEHJEM) 495
Toluene: 2-Amino-5-azo-, liver tumors, relation (SHEAR) xc
Trihalophenol: Metabolism effect, mechanism (CLOWES and KRAHL) xix
Trioses: Liver glucose, relation (CORI and SHINE) xxi
Trout: Brook, calcium and phosphorus, factors affecting (MCCAY, TUNISON, CROWELL, and PAUL) 259
Trypsin: Casein digestion, cystine liberation rate (JONES and GERSDORFF) liii
Tryptophane: Carbonic acid derivatives, growth and kynurenic acid production, relation (BAUGUESS and BERG) 253
Thyroglobulin, normal and goitrous (CAVETT) 65
Tubercle bacillus: Human, wax phthiocerol (STODOLA and ANDERSON) 467
Lipids, chemistry (CROWDER, STODOLA, and ANDERSON) 431
Tuberculin: Protein, acid-base-combining capacity (SEIBERT) lxxxix
Tumor(s): Liver, 2-amino-5-azotoluene, relation (SHEAR) xc
Phospholipid metabolism (HAVEN) xlvii
Tissue, vitamin C (MUSULIN, WOODWARD, SILVERBLATT, and KING) lxxiv
Tyrosine: Absorption spectrum, ultra-violet (FERAUD, DUNN, and KAPLAN) 665
Thyroglobulin, normal and goitrous (CAVETT) 65

U

Umbilical cord: Polysaccharides (MEYER and PALMER) 689
Polyuronic acids (MEYER and PALMER) lxix
Unsaponifiable material: Carbonyl compounds isolation (ANCHEL and SCHOENHEIMER) 539
Uracil: Dibromoxyhydro-, alkali action (HEYROTH) p. 1
Urease: Iodoacetate and iodoacetamide reaction (SMYTHE) xcv, 601
Urine: Estrogenic substances, normal female (GUSTAVSON, WOOD, and HAYS) xlvi

Urine—*continued:*
Guanidine derivatives, muscle dystrophies (SULLIVAN, HESS, and IRREVERRE) 633
Menopause, follicle-stimulating hormone (BLOCK, BRAND, HARRIS, and HINSIE) xii
Phenolic substances (EDWARDS) xxix
Sulfur distribution, cystinuria, dog (GREEN, MORRIS, CAHILL, and BRAND) 91
Urobilin: Crystalline, natural, origin (WATSON) 47
Uronic acids: Poly-, vitreous humor and umbilical cord (MEYER and PALMER) lxix

V

Vegetable oils: Encephalomalacia, nutritional, chicks, effect (GOETTSCH and PAPPENHEIMER) 673
Vitamin(s): A, butter fat, determination (SHINN and CARY) xcii
—, dihydro-, synthesis (GOULD) xli
Antihemorrhagic (ALMQUIST) 241
B complex, chick dietary dermatitis preventive, feedingstuff, distribution (JUKES and LEPKOVSKY) 117
— —, — — dermatitis preventive, properties (LEPKOVSKY and JUKES) 109, lxi
B_1, biological assay (KNOTT and SCHLUTZ) lix
—, growth composition, effect (WHIPPLE and CHURCH) cvii
Vitamin(s)—*continued:*
B_1, urine, human, determination (HELMER) xlviii
B_2, urine, human, determination (HELMER) xlviii
C, thymus, histological changes, relation (GLICK and BISKIND) 1
—, tumor tissue (MUSULIN, WOODWARD, SILVERBLATT, and KING) lxxiv
D, calcium retention, infancy, effect (STEARNS and JEANS) c
—, milk constituents and, relation (SUPPLEE, ANSBACHER, BENDER, and FLANIGAN) 95
—, nature, multiple (MCDONALD) lxv
—, various sources, antirachitic effectiveness (HAMAN and STEENBOCK) 505
Dihydro-, A, synthesis (GOULD) xli
E, growth, relation (OLCOTT and MATTILL) lxxvii
G complex, dermatitis, rat, and pellagra, human, relation (DANN) xxiv
H, concentration and properties (BOOHER) xiv
Water-soluble, vitamin B complex-related, chick dietary dermatitis preventive, feedingstuff, distribution (JUKES and LEPKOVSKY) 117
—, — — —, chick dietary dermatitis preventive, properties (LEPKOVSKY and JUKES) 109
Vitreous humor: Polysaccharides (MEYER and PALMER) 689

Vitreous humor—*continued:*
Polyuronic acids (MEYER and PALMER) lxix

W

Water: Heavy, amylase formation, barley sprouting, influence (CALDWELL and DOEBBELING) xvii
Wax: Tubercle bacillus, human, phthiocerol in (STODOLA and ANDERSON) 467
Work: Blood acid-base, effect (HASTINGS, DILL, and EDWARDS) xlvii
— lactic acid, high altitudes, influence (EDWARDS) xxx
See also Exercise

Y

Yeast: Alcohol extract, growth relation (RYMER and LEWIS) 361
Dietary factor, essential (ELVEHJEM, KOEHN, and OLESON) xxxi
Extract, hexosemonophosphate from (MICHAELIS and SMYTHE) lxx
Preparations, iodoacetate and iodoacetamide reaction (SMYTHE) 601

Z

Zinc: Insulin action, effect (SCOTT and FISHER) lxxxviii